

WOOD MAX CONSTRUCTION



NEW NAME AND NEW VARIANT INTRODUCTION

NIEUW!

AVAILABLE FROM MARCH 2019



ARTICLE NUMBER.	PRODUCT	EAN PIECE	EAN CARTON	PIECES/CARTON
6311124	GRIFFON WOOD MAX POWER D4 KOKER 380 G	8710439245409	8710439245393	12
6313648	GRIFFON WOOD MAX EXPRESS POWER D4 KOKER 380 G	8710439274850	8710439274843	12

WOOD MAX EXPRESS POWER



NEW

Extremely strong, quick-drying, waterproof and gap filling, woodworking adhesive based on SMP polymer.

PROPERTIES

- Extremely high final bond strength (110 kg/cm²)
- Waterproof (D4)
- Excellent filler (up to 4 mm)
- Can be trimmed immediately
- Permanently flexible
- Paintable
- Temperature resistant from -40°C to + 120°C
- Good standing power; does not drip

**HAND TIGHT
AFTER 30
MINUTES**

FIELD OF APPLICATION

For waterproof (D4) (surface) bonding of most types of wood (less suitable for chemically treated wood) and many other building materials. For non-supporting wooden structures. Very suitable for poorly fitting joints. Not suitable for PE, PP, PFTE and PA (nylon). Suitable for interior and exterior applications.



NEW!

ARTICLE NUMBER.	PRODUCT	EAN PIECE	EAN CARTON	PIECES/CARTON
6313648	GRIFFON WOOD MAX EXPRESS POWER D4 KOKER 380 G	8710439274850	8710439274843	12

WOOD MAX EXPRESS POWER



NEW

Extremely strong, quick-drying, waterproof and gap filling, woodworking adhesive based on SMP polymer.



NEW!



**WOOD
MAX**

WOOD CONSTRUCTION ADHESIVE

**EXPRESS
POWER** | **30
MIN***



**EXTREEM STERK
EXTRÊMEMENT FORTE
EXTREM STARK**



**WATERVAST
RÉSISTE À L'EAU
WASSERFEST**



**DIRECT AFMESBAAR
LISSER IMMÉDIATEMENT
SOFORT ENTFERNBAR**

**PROFESSIONAL QUALITY
PU & SOLVENT FREE**